

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7483	(access near3 control) same (node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:28
L2	186	L1 same tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:28
L3	2	L2 same (path same leaf same root)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:45
L4	1	L2 same (path same leaf same root) and "6026402".pn. and one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:43
L5	3	(path same leaf same root) same (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:11
L6	124	((path same leaf same root) same one) and (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:21
L7	1	((path same leaf same root) same one) and (access near3 control) and (maximum near3 partial near3 tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:12
L8	5	maximum near3 partial near3 tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:12
L9	4	((path same leaf same root) same one same condition) and (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:21
L10	53	L6 and (file near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:29

## EAST Search History

L11	308168	(one same (chang\$4 or modifier or modification or modify or adjustment or edit\$4) same (path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:31
L12	8025	(one same (chang\$4 or modifier or modification or modify or adjustment or edit\$4) same (path)) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:31
L13	704	L12 and (root same leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:31
L14	118	L13 and (one with path with leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:42
L15	167	(tree near3 node) same (availability or (access near3 control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:43
L16	32	(tree near3 node) same (node near3 (availability or (access near3 control)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:05
L17	1	"20030110246".pn. and one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:24
L18	1	"20050289150".pn. and one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:24
S1	1	(tree or (tree adj3 structure)) same (availability near3 condition) same (access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:28
S2	24	(tree or (tree adj3 structure)) same (availability near3 condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:07

## EAST Search History

S3	520	(tree or (tree adj3 structure)) same (manag\$4 near3 files)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:11
S4	70	nodes near3 arranged near3 root near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:11
S5	15	nodes near3 arranged near3 root near3 leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:11
S6	1	S5 and (availability near3 condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 10:12
S7	2	S5 and (access near3 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:36
S8	10340	limit with one with path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:37
S10	1	limit with one with path with root with leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:38
S11	1	limit with (one or once) with path with root with leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:38
S12	2	((administrative near3 (rule or policy)) same (tree near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:39
S13	0	((administrative near3 (rule or policy)) same (storage near3 node)) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:49

## EAST Search History

S14	66	((rule or policy) same (storage near3 node)) and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:54
S15	33	((rule or policy) same (storage near3 node)) and tree and (file near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 16:36
S16	2	"20040186853".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 16:36



tree path root leaf maximum partial tree maxim

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 776 for **tree path root leaf maximum partial tre**

**All Results**

[A Perrig](#)

[T Yu](#)

[S Banerjee](#)

[Y Hu](#)

[P Francis](#)

**NetWare 4 as an example of role-based access control** - group of 2 »

J Epstein, R Sandhu - ... of the first ACM Workshop on Role-based access control, 1996 - portal.acm.org

... file system are organized in a hierarchical **tree**, much as ... to F. For each node N along the **path**, perform the ... that individuals near the top (ie, **root**) have more ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

**Virtual and Dynamic Hierarchical Architecture for E-Science Grid** - group of 6

»

H Lican, W Zhaohui, P Yunhe - International Journal of High Performance Computing ..., 2003 - hpc.sagepub.com

... them until the message reaches the **leaf** virtual groups ... load on the coordi- nator of the **root** virtual group ... 10.1.2.15), and this node has **tree path** all\_Science:AI ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Recognizing immediacy in an N-tree hierarchy and its application to protection groups** - group of 11 »

RS Sandhu - IEEE Transactions on Software Engineering, 1989 - doi.ieeeecs.org

... some w such that  $w < u$  and  $w < v$ , that is w is the **root** of a subtree which includes u and v. Without loss of gen- erality let the **path** in the **tree** from w ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

**Tree-based group key agreement** - group of 11 »

Y Kim, A Perrig, G Tsudik - ACM Transactions on Information and System Security (TISSEC), 2004 - portal.acm.org

... where each member is required to know all keys on the **path** from itself ... Otherwise, if the key **tree** is fully balanced, the new member joins to the **root** node. ...

[Cited by 51](#) - [Related Articles](#) - [Web Search](#)

**A clustering scheme for hierarchical control in multi-hop wireless networks** - group of 13 »

S Banerjee, S Khuller - INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE ..., 2001 - ieeeexplore.ieee.org

... The total number of vertices in the **tree** is n . The ... its proof, it will be apparent that **one** can construct ... to, for gen- eral graphs, is the **maximum** degree of a ...

[Cited by 130](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PS] **The Reflected Tree Hierarchy for Protection and Sharing** - group of 5 »

RS Sandhu - Information Processing Letters, 1989 - ite.gmu.edu

... the **root** to U is to the left or right of the **path** from the **root** to V ... accommodate reorganization we can back up **one** level in the reected **tree** and reorganize ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

**... and simulation of IEEE 802.11 WLAN mobile ad hoc networks using topology broadcast reverse-path** ... - group of 2 »

DB Green, MS Obaidat - Computer Communications, 2003 - Elsevier

... in a fully connected network that has **one** **root** node and ... V) since the minimum hop broadcast **tree's** longest **path** ... 2 hops, while the shortest broadcast **path** (from B ...

[Related Articles](#) - [Web Search](#)

**[Preemption-Based Admission Control in Multimedia Multiparty Communications - group of 4 »](#)**

N Shacham - Proc. of INFOCOM'95, 1995 - doi.ieeecomputersociety.org

... a **tree** with the source at its **root** and the ... a stream are forwarded on the same **tree**, and layer ... these preemptible layers are replicated on the **path** for delivery ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**[Policy-Based Cryptographic Key Management: Experience with the KRP Project - group of 3 »](#)**

D Branstad, D Balenson - Proceedings of DARPA Information Survivability Conference ... - doi.ieeecomputersociety.org

... The **path** from the **leaf** to its **root** thus specifies ... However, if a **leaf** of a **tree** is turned into a node (ie, additional **policies** can be built subordinated to it ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

**[Lottery and Stride Scheduling: Flexible Proportional-Share Resource Management - group of 6 »](#)**

CA Waldspurger - 1995 - waldspurger.org

... and Computer Science on September 5, 1995, in **partial** fulfillment of the ... This was during the pre-IBM-PC era when **one** ... 3-6 Dynamic Operations: **Tree**-Based Lottery ...

[Cited by 130](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Gooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **[Next](#)**

tree path root leaf maximum partial t

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



tree path root leaf maximum partial tree maxim

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** [All articles](#) [Recent articles](#) Results **11 - 20** of about **776** for **tree path root leaf maximum partial tr**

**All Results**

[A Perrig](#)

[T Yu](#)

[S Banerjee](#)

[Y Hu](#)

[P Francis](#)

**[Interoperable strategies in automated trust negotiation - group of 10 »](#)**

T Yu, M Winslett, KE Seamons - Proceedings of the 8th ACM conference on Computer and ... , 2001 - portal.acm.org

... Given a dis- closure **tree** T, if there is a credential appearing twice in the **path** from a **leaf** node to the **root**, then we call Ta redundant disclosure **tree**. ...

[Cited by 65](#) - [Related Articles](#) - [Web Search](#)

**[\[book\] On the Structure of Delegation Networks - group of 15 »](#)**

T Aura - 1997 - Helsinki University of Technology

... is that in order to have effect, any **path** of delegation ... and get a subset of certificates where the **maximum** length of ... towards k 2 and remove all but **one** of the ...

[Cited by 37](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

**[A new hierarchical routing protocol for dynamic multihop wireless networks - group of 4 »](#)**

IF Akyildiz, W Yen, B Yener - INFOCOM'97. Sixteenth Annual Joint Conference of the IEEE ... , 1997 - ieeeexplore.ieee.org

... D. 2.4 Mark all the MBSs in this **tree** and go ... when combining with the location update and **path** find- ing ... center (SC maintains an entry only for the **root** MBSs in ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**[Ontology Guided XML Security Engine - group of 5 »](#)**

A Stoica, C Farkas - Journal of Intelligent Information Systems, 2004 - Springer

... the tag's **path** information from the **root** node ... For clarity, we omit the **path** information unless it ... Procedure uses the ontology class hierarchy **tree** to abstract ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

**[Access Control Inference And Feedback For Policy Managers: A Fine-Grained Analysis](#)**

RRVS Chakravarthy, M Mohania - doi.ieeecomputersociety.org

... the next level and finally the users (as **leaf** nodes) who ... exists a set of super users' (eg, **root**, DBA) who ... sets produced by the ssn **path** and the age **path**, we ...

[Related Articles](#) - [Web Search](#)

**[A scalable distributed information management system - group of 8 »](#)**

P Yalagandula, M Dahlin - Proceedings of the 2004 conference on Applications, ... , 2004 - portal.acm.org

... Also the corresponding aggregation **tree** is shown ... sat- isfies the **path** locality and **path** convergence properties ... each successive enclosing domain's **root** (the vir ...

[Cited by 50](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**[Storing and Retrieving Internet Certificates - group of 12 »](#)**

P Nikander, L Viljanen - Proc. 3rd Nordic Workshop on Secure IT Systems, 1998 - nixu.fi

... Sibling nodes cannot have the same label. The domain name of a node is the list of the labels on the **path** from the node to the **root** of the **tree**. ...

[Cited by 21](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**[Supporting structured credentials and sensitive policies through](#)**

[interoperable strategies for ... - group of 7 »](#)

T Yu, M Winslett, KE Seamons - ACM Transactions on Information and System Security (TISSEC), 2003 - portal.acm.org

... Given a disclosure **tree** T, if there is a credential appearing twice in the **path** from a **leaf** node to the **root**, then we call T a redundant disclosure **tree**. ...

[Cited by 72](#) - [Related Articles](#) - [Web Search](#)

[Self-stabilizing Quorum Systems for Reliable Document Access in Fully Distributed Information ... - group of 11 »](#)

DG Informatique - iciadmin.ici.ro

... Considering the network organized into a **tree**, Agrawala and El ... quorums by selecting paths from the **root** to leaves. ... of sites that belong to a **path** starting from ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[Packet Leashes: A Defense against Wormhole Attacks in Wireless Ad Hoc Networks - group of 4 »](#)

YC Hu, A Perrig, DB Johnson - Proceedings of INFOCOM, 2003 - monarch.cs.rice.edu

... etc. The **root** value of the **tree** is used to authenticate all **leaf** values. ... v i , and all the nodes necessary to verify the **path** up to the **root**. ...

[Cited by 126](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

tree path root leaf maximum partial t

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google





tree path root leaf maximum partial tree maxim

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** [All articles](#) [Recent articles](#) Results **21 - 30** of about **776** for **tree path root leaf maximum partial tr**

**All Results**

[A Perrig](#)

[T Yu](#)

[S Banerjee](#)

[Y Hu](#)

[P Francis](#)

**Packet classification in large ISPs: design and evaluation of decision tree classifiers - group of 3 »**

E Cohen, C Lund - Proceedings of the 2005 ACM SIGMETRICS international ..., 2005 - portal.acm.org

... et al [17], which proposed a decision tree based scheme ... We start with the root node that has all rules ... At any point we consider a (currently a leaf) node and ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**ELK, a new protocol for efficient large-group key distribution - group of 14 »**

A Perrig, D Song, JD Tygar - Proceedings of the IEEE Symposium on Security and Privacy, 2001 - doi.ieeecs.org

... sequentially from the leaf up to the root key. ... in the key update message (assuming our key tree is balanced ... will help  $\frac{1}{2}$  of the members to update their key path. ...

[Cited by 129](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**X-gtrbac admin: A decentralized administration model for enterprise-wide access control - group of 7 »**

R Bhatti, B Shafiq, E Bertino, A Ghafoor, JBD ... - ACM Transactions on Information and System Security (TISSEC), 2005 - portal.acm.org

... This leaves much to be desired, since an administration ... Roles are related according to a partial order, which ... A constraint evaluates to true in one of the ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

**Principle for high speed network control: congestion-and deadlock-freeness, self-routing, and a ...**

Y Ofek, M Yung - Proceedings of the ninth annual ACM symposium on Principles ..., 1990 - portal.acm.org

... destination identification (ID) when it leaves the source. ... in the known (or assumed) direct path to the ... be verified by finding a Spanning Tree and traversing ...

[Cited by 31](#) - [Related Articles](#) - [Web Search](#)

**[PS] Yoid: Extending the Internet Multicast Architecture - group of 14 »**

P Francis - Unpublished paper, available at <http://www.aciri.org/yoid/> ..., 2000 - icir.org

... Evolutionary Path (or, the Chicken-and-Egg Problem) Yoid ... may transitionally be zero or more than one root, but in ... that must occur when a member quits the tree. ...

[Cited by 181](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**[PS] Discovery of Multi-Level Security Policies - group of 4 »**

CY Chung, M Gertz, K Levitt - Proceedings of the IFIP TC11/WG11. 3 Fourteenth Annual ..., 2000 - seclab.cs.ucdavis.edu

... Depth(n; T), is the number of nodes on the path from the root to n. The depth of the root node is 0 ... Depth(T), is the maximum depth of all nodes in the tree. ...

[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**BlueBoX: A Policy-Driven, Host-Based Intrusion Detection System - group of 9 »**

SN CHARI, PAUC CHENG - ACM Transactions on Information and System Security, 2003 - portal.acm.org

... The **root** of a **tree** corresponds to the **root** of the ... the directory entries of the all the inodes along the **path**. ... A node in the **tree** may also be associated with a ...  
[Cited by 37](#) - [Related Articles](#) - [Web Search](#)

**RDF-QBE: a Semantic Web Building Block - group of 4 »**

D Reynolds - HP-Lab, 2003 - hpl.hp.com

... the pattern **tree** constraints starting at the **root** node of ... 2. Performance – **path** length micro example **path** length RDF ... depth of the RDF-QBE pattern **tree** has no ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**IP multicast channels: EXPRESS support for large-scale single-source applications - group of 21 »**

HW Holbrook, DR Cheriton - ACM SIGCOMM Computer Communication Review, 1999 - portal.acm.org

... propagated all the way to **leaf** hosts. ... distribution **tree**. ... protocols, packets can traverse routes that are distant from the expected direct **path** from source ...


[Cited by 266](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Packet leashes: a defense against wormhole attacks in wireless networks - group of 23 »**

YC Hu, A Perrig, DB Johnson - INFOCOM 2003. Twenty-Second Annual Joint Conference of the ... - [ieeexplore.ieee.org](#)

... **One partial** approach for preventing wormhole attacks might be ... likely exceeding the network's **maximum** packet size ... B. **Tree**-Authenticated Values The TIK protocol ...

[Cited by 94](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

tree path root leaf maximum partial t

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)

tree path root leaf maximum partial tree "access control"

[Advanced Search](#)  
[Preferences](#)**Web** Results 1 - 10 of about 122,000 for **tree path root leaf maximum partial tree "access control"**. (0.28 se**Scholarly articles for tree path root leaf maximum partial tree "access control"**[Sponsored Links](#)[Virtual and Dynamic Hierarchical Architecture for ...](#) - Lican - Cited by 12[NetWare 4 as an example of role-based access control](#) - Epstein - Cited by 3[Recognizing immediacy in an N-tree hierarchy and its ...](#) - Sandhu - Cited by 7**DeepRoot****Tree root barriers redirect root growth and prevent damage.**  
[www.deeprroot.com](http://www.deeprroot.com)**[PDF] An Effective Spanning Tree Algorithm for a Bridged LAN - Advanced ...**

File Format: PDF/Adobe Acrobat

a lower **root path** cost is selected to be a **root** port and. the **root path** cost ... tries to create its **partial spanning tree** by transmitting ...[ieeexplore.ieee.org/iel3/5090/13882/00639782.pdf?arnumber=639782](http://ieeexplore.ieee.org/iel3/5090/13882/00639782.pdf?arnumber=639782) - [Similar pages](#)**[PDF] Two-centre tree topologies for metropolitan area networks ...**

File Format: PDF/Adobe Acrobat

Indexing terms: Merropolitan area network, Binary **tree**, **Path** reliability, Quarternary **tree**, ... of a QT in which a **leaf** node in the lower layer (eg, node ...[ieeexplore.ieee.org/iel1/2191/7663/00317990.pdf?arnumber=317990](http://ieeexplore.ieee.org/iel1/2191/7663/00317990.pdf?arnumber=317990) - [Similar pages](#)**[PDF] VIRTUAL AND DYNAMIC HIERARCHICAL ARCHITECTURE FOR E-SCIENCE GRID**


File Format: PDF/Adobe Acrobat

In the VGT there is a **root** virtual. group (denoted by RVG), many **leaf** virtual ... **tree path**, the VO first adds Animal **partial tree path** to ... **Maximum** of p ...[hpc.sagepub.com/cgi/reprint/17/3/329.pdf](http://hpc.sagepub.com/cgi/reprint/17/3/329.pdf) - [Similar pages](#)**Source Routing and the Spanning-Tree Protocol**As a BPDU leaves the **root** bridge, it contains the bridge ID of the **root** bridge, a **path** ...How **Path** Costs Add Up. In our second example of the spanning-**tree** ...[support.novell.com/techcenter/articles/ana19910801.html](http://support.novell.com/techcenter/articles/ana19910801.html) - 54k - [Cached](#) - [Similar pages](#)**Microsoft TechNet: Membership Directory Group Scalability**A subtree search starting at some container below the **root** is called a **partial** subtree search because it does not include the entire directory **tree**. ...[www.microsoft.com/technet/archive/mcis/memdrscl.mspx](http://www.microsoft.com/technet/archive/mcis/memdrscl.mspx) - 65k - [Cached](#) - [Similar pages](#)**Sun ONE Directory Server Administration Guide: Chapter 3 Creating ...**A suffix may be located at the **root** of the directory **tree** where it is sometimes ... A subsuffix will have the **access control** defined by ACIs on its parent, ...[docs.sun.com/source/816-6698-10/suffixes.html](http://docs.sun.com/source/816-6698-10/suffixes.html) - 131k - [Cached](#) - [Similar pages](#)**Chapter 3 Creating Your Directory Tree**Alternatively, select the **root** node of the directory **tree** and then choose the ... You should also add **access control** instructions (ACI) attributes to a **root** ...[docs.sun.com/source/817-7613/suffixes.html](http://docs.sun.com/source/817-7613/suffixes.html) - 140k - [Cached](#) - [Similar pages](#)**[PDF] Recognizing Immediacy in an N-Tree Hierarchy and Its Application ...**

Section V that the **partial** order of Fig. 1(b) fails to be an. n-tree. III. IMMEDIACY, AND ACCESS CONTROL. In Section I we outlined the basic reason why ...  
doi.ieeecomputersociety.org/10.1109/32.58764 - Similar pages

by their complete **path** to the **root**, starting at the **leaf**. For example, `Sally.Finance.Acme` is the complete name of the left-most node in the **tree**. ...  
portal.acm.org/ft\_gateway.cfm?id=270187&  
type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

Routers use this link-state database to calculate its shortest-path tree. ... metric and spans 2 24 per individual link and 2 32 per path (root to leaf). ...  
www.cisco.com/en/US/products/ps6599/products\_white\_paper09186a00800a3e6f.shtml - 111k - Cached - Similar pages



tree path root leaf maximum partial t Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

tree path root leaf maximum partial tree "access control"

[Advanced Search](#)  
[Preferences](#)**Web** Results 11 - 20 of about 122,000 for **tree path root leaf maximum partial tree "access control"**. (0.17 s)**Self-stabilizing Quorum Systems for Reliable Document Access in ...**

Assuming that  $H$  is true for a **tree** with a **root** excentricity  $e_0 = d$ , ... the **leaf** sites first get their correct **partial** paths of the spanning **tree**. ...

[www.ici.ro/ici/revista/sic1998\\_4/art01.html](http://www.ici.ro/ici/revista/sic1998_4/art01.html) - 70k - [Cached](#) - [Similar pages](#)

**[Paper] Considering Spatial Locality in Ad Hoc Network Multicasting**

The group leader/**tree root** is selected as the node that is the first one to send ... then this node will become a **leaf** node for the new forwarding **path**. ...

[www.actapress.com/PDFViewer.aspx?paperId=13256](http://www.actapress.com/PDFViewer.aspx?paperId=13256) - [Similar pages](#)

**SRIRAM: A scalable resilient autonomic mesh**

Security and **access control** within SRIRAM is based on digital certificates ... Furthermore, nodes that are nearer the **root** of the rooted spanning **tree** are ...

[www.research.ibm.com/journal/sj/421/verma.html](http://www.research.ibm.com/journal/sj/421/verma.html) - 56k - [Cached](#) - [Similar pages](#)

**[PDF] Topology Control to Simultaneously Achieve Near-Optimal Node ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In a balanced binary **tree** consisting of  $N$  nodes, the length of the longest **path** from the **root** to a **leaf** node is  $O(\log N)$ . An empty **tree** is a balanced ...

[www.cs.ucr.edu/~neal/non\\_arxiv/Gelal06Topology.pdf](http://www.cs.ucr.edu/~neal/non_arxiv/Gelal06Topology.pdf) - [Similar pages](#)

**[PDF] Design of an External Schema Facility to Define and Process ...**

File Format: PDF/Adobe Acrobat

on a given **path** back to the **root**. The **tree** traversal functions can be either ... A **leaf** has level of zero. A nonleaf node has level 1 plus the **maximum** of ...

[portal.acm.org/citation.cfm?doid=319566.319576](http://portal.acm.org/citation.cfm?doid=319566.319576) - [Similar pages](#)

**TOP of text, page 2 and following pages aligned to line**

A special obld, called the redirector, sits at the **root** of the **tree**. ... file is removed the **leaf** node notifies it's parent node that of file deletion. ...

[xrootd.slac.stanford.edu/papers/Scalla-Intro.htm](http://xrootd.slac.stanford.edu/papers/Scalla-Intro.htm) - 129k - [Cached](#) - [Similar pages](#)

**[PDF] A Clustering Scheme for Hierarchical Control in Multi-hop Wireless ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Hence, the **maximum** number of clusters created out of the five **partial** clusters in ... leaves of the **tree** towards the **root** akin to the post-order traversal ...

[www.cs.umd.edu/users/suman/pubs/infocom01.pdf](http://www.cs.umd.edu/users/suman/pubs/infocom01.pdf) - [Similar pages](#)

**[PDF] The Cougar Project: A Work-In-Progress Report**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and eventually reach the **root**. The cost of computing **partial** aggregates is negligible compared ... optimal total cost is a shortest **path tree**. Thus, **tree** ...

[www.cs.cornell.edu/~yao/papers/SigmodRecord03.pdf](http://www.cs.cornell.edu/~yao/papers/SigmodRecord03.pdf) - [Similar pages](#)

**[PDF] Protection of multicast scalable video by secret sharing ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The elements of the set owned by a member are those found along the directed **path** from the member to the **root** of the **tree**, including the **leaf** set and the ...


[www.sci.brooklyn.cuny.edu/~sdexter/Pubs/spie03.pdf](http://www.sci.brooklyn.cuny.edu/~sdexter/Pubs/spie03.pdf) - [Similar pages](#)

[PDF] [A Scalable Distributed Information Management System](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**maximum** node stress: whereas in a single aggregation **tree** ap-. proach, the **root** and the intermediate nodes pass around more mes-. sages than **leaf** nodes, ...

[www.cs.utexas.edu/~ypraveen/papers/sdms-sigcomm.pdf](http://www.cs.utexas.edu/~ypraveen/papers/sdms-sigcomm.pdf) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

---

tree path root leaf maximum partial t

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

tree path root leaf maximum partial tree "Shing

[Advanced Search](#)  
[Preferences](#)

---

## Web

Tip: Try removing quotes from your search to get more results.

Your search - **tree path root leaf maximum partial tree "Shingo Fukui"** - did not match any documents.

### Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

tree path root leaf "Shingo Fukui"

[Advanced Search](#)  
[Preferences](#)

---

## Web

Tip: Try removing quotes from your search to get more results.

Your search - **tree path root leaf "Shingo Fukui"** - did not match any documents.

### Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google